

Mass of BL Lacs from the Velocity Dispersion of the Host Galaxy

A. Treves

¹ *Università dell'Insubria, via Valleggio 11, 20126 Como, I*
E-mail aldo.treves@uninsubria.it

N. Carangelo^{1,4}, R. Falomo², J. Kotilainen³

² *Osservatorio Astronomico di Padova;* ³ *Tuorla Observatory;*

⁴ *Università di Milano-Bicocca*

1. Introduction

It has been recently shown that in nearby early type galaxies the central velocity dispersion σ correlates rather tightly with the central black hole mass M_{BH} (Gebhardt et al. 2000, Ferrarese and Merritt 2000). Assuming the M_{BH} - σ relation is valid also for ellipticals hosting active nuclei it becomes possible to estimate their BH mass through the measurement of σ . This is complementary to the determination of M_{BH} through the luminosity of the bulge of the galaxy, basing on the M_{BH} - L_{bulge} dependence (e.g. Magorrian et al. 1998; Kormendy & Gebhardt 2001). In particular these two procedures are a promising way for estimating the mass of BL Lacs for which, due to the lack of emission lines, other methods to derive M_{BH} cannot be applied.

Following the systematic study of host galaxies of 110 BL Lacs with HST (Urry et al 2000) M_{BH} was estimated for a number of BL Lacs from the M_{BH} - L_{bulge} relation (O'Dowd et al 2002; Falomo et al 2002b). Barth et al (2002 and this conference) and Falomo et al 2002a adopted the strategy of measuring σ , and considered a dozen BL Lacs.

Here we report on new measurements of the stellar velocity dispersion of 4 BL Lac objects for which optical spectroscopy was gathered at the ESO 3.6m using EFOSC2. As example the spectrum PKS 0521-36, showing the absorption features of the host galaxy together with some nuclear emission lines, is reported in Figure 1. The analysis was performed following that described in Falomo et al 2002a referring to the observations taken at NOT + ALFOSC.

2. Results

The values of σ and the corresponding M_{BH} are reported in the Table (these include both previous NOT and new ESO data; labelled as N and E, respectively). In the case of PKS 2201+04 observations from both dataset are available and indicate a good agreement. We estimate that the typical uncertainty on the BH mass is 30%. Our values are in general agreement with those reported by Barth et al 2002, although there are significant discrepancies for specific objects

(e.g. Mrk 501 and IZw187). In the Table we also report for comparison M_{BH} calculated through the host galaxy luminosity (cf Falomo et al 2002a,b).

It has been proposed that the FWHM of the [OIII] 5007 Å line correlates with σ from the stars (Nelson 2000, Shields et al 2002) making the measurement of this emission line an important probe for estimate of σ in high z sources. For two objects (PKS 0521-36 and 3C 371) in our sample we have significant OIII emission from which $\sigma_{[OIII]}$ can be derived. We found $\sigma_{[OIII]} = 244$ Km/s and $\sigma_{[OIII]} = 291$ Km/s for PKS 0521-36 and 3C371 respectively, in good agreement with the values derived from the stellar velocity dispersion.




Figure 1. Normalized Optical spectrum of PKS0521-36.

Object	N/E	z	σ_c Km s ⁻¹	$M_R(\text{host})$	$\text{Log}(M_{BH})_\sigma$ [M _⊙]	$\text{Log}(M_{BH})_{bulge}$ [M _⊙]
Mrk 421	N	0.031	236	-23.15	8.53	8.69
Mrk 180	N	0.045	244	-22.84	8.59	8.53
Mrk 501	N	0.034	291	-23.91	8.94	9.07
I Zw187	N	0.055	253	-22.32	8.66	8.27
3C 371	N	0.051	284	-23.89	8.89	9.06
1ES 1959+65	N	0.048	195	-23.06	8.15	8.64
PKS 2201+04	N	0.027	160	-22.51	7.76	8.37
	E	0.027	165	-22.51	7.82	8.37
PKS 0521-36	E	0.055	255	-23.24	8.68	8.73
PKS 0548-32	E	0.069	263	-23.63	8.74	8.93
ApLib	E	0.049	250	-23.48	8.64	8.85

References

- Barth, A., Ho, L.C., Sargent, W.L.W., 2002, ApJ, in press (astro-ph/0209562)
Falomo, R., Kotilainen, J.K., Treves, A., 2002a, ApJ 569, L35
Falomo, R., Carangelo N., Treves A., 2002b, MNRAS submitted
Ferrarese, L., Merritt, D., 2000, ApJ 539, L9
Gebhardt, K., Bender, R., Bower, G., et al., 2000, ApJ 539, L13
Kormendy J. & Gebhardt, K. 2001 astro-ph/0105230
Magorrian, J., Tremaine, S., Richstone, D., et al., 1998, AJ 115, 2285
Nelson, C.H., 2000, ApJ 544, L91.
O'Dowd M. et al. 2002 ApJ in press, astro-ph/0207597
Shields, G.A. et al. 2002, astro-ph/0210050
Urry, C.M., Scarpa, R., O'Dowd, M., et al., 2000, ApJ 532, 816